



CONNECTED WASH

Connecting the machine to the network

This manual applies to the following machines with black display:



UC Series (V02)
PT Series (V02)



CTR Series

Have you already registered at www.connected-wash.com/start? Are all requirements met for CONNECTED WASH (see: <http://www.connected-wash.com/faq>)? Then you can connect the machine to your network in 3 steps.

Step 1

Activate CONNECTED WASH.
▶ 1


Step 2

Check connection.
▶ 2

Step 3

Check the date and time.
▶ 3

1. Activating CONNECTED WASH



- 10 ➤ Select LAN or WLAN.

INFO If you use a MAC filter: Share the warewasher's MAC address. You can find the MAC address under Register Info.

1.1 LAN version

- Ensure that the LAN cable is connected.
- Continue with chapter ► 2

- Deactivate DHCP if you are not working with the default setting:



1.2 WLAN version

- Select your own network.




- Continue with chapter ► 2

2. Checking connection

In this step, check if there is a connection between the machine and network router.


➤ Access PIN Menu:



If this pictogram in Image 8 is shown, wait approx. 30 seconds. If no other pictograms are shown after this time, please follow the instructions in our FAQ: <http://www.connected-wash.com/faq>. Here you can also find an analysis tool that helps you with troubleshooting.




➤ Exit PIN menu:



3. Checking the date and time


To make sure that the data transfer delivers correct results, the current date and time must be set correctly.

- Check settings.




If the date and/or time are not set correctly:

- Adjust settings.



- Exit PIN menu:



Is your warewasher operational and successfully connected to your network? Then activate CONNECTED WASH on your machine now. You can find detailed instructions here:

[ACTIVATE CONNECTED WASH \(PAIRING\)](#).